11321-P002D1 PATENT

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1-34. (Canceled)
- 35. (Previously Presented) A rope of single-wall carbon nanotubes having 50 to 5000 single-wall carbon nanotubes of which greater than 10% are (10, 10) single-wall carbon nanotubes.
- 36. (Previously Presented) A rope of single-wall carbon nanotubes in accordance with claim 35 wherein more than 50% are (10, 10) single-wall carbon nanotubes.
- 37. (Previously Presented) A rope of single-wall carbon nanotubes in accordance with claim 36 wherein more than 90% are (10, 10) single-wall carbon nanotubes.
- 38. (Previously Presented) A rope of single-wall carbon nanotubes in accordance with claim 37 wherein the rope comprises 100 to 500 single-wall carbon nanotubes.
- 39. (Previously Presented) A rope of single-wall carbon nanotubes in accordance with claim 38 wherein the average diameter of all single-wall carbon nanotubes in the rope is $13.8 \text{ Å} \pm 0.3 \text{ Å}$.
- 40. (Previously Presented) A rope of single-wall carbon nanotubes in accordance with claim 38 wherein the average diameter of all single-wall carbon nanotubes in the rope is $13.8 \text{ Å} \pm 0.2 \text{ Å}$.
- 41. (Currently amended) A rope in accordance with claim 40 wherein the <u>single-wall carbon</u> nanotubes in the rope are in an arrangement wherein a 2-D triangular lattice constant is 17 Å.
- 42. (Previously Presented) A rope of single-wall carbon nanotubes in accordance with claim 35 comprising about 100 to about 500 single-wall carbon nanotubes of which greater than 50% are single-wall carbon nanotubes of the armchair form.
- 43. (Previously Presented) A rope of single-wall carbon nanotubes in accordance with claim 42 wherein greater than 75% of the single-wall carbon nanotubes are of the armchair form.

11321-P002D1 PATENT

44. (Previously Presented) A rope of single-wall carbon nanotubes in accordance with claim 43 wherein greater than 90% of the single-wall carbon nanotubes are of the armchair form.

- 45. (Cancelled)
- 46. (Currently amended) A felt, comprising single-wall carbon nanotubes, wherein said felt is electrically conductive.
- 47. (Previously Presented) The felt of claim 46, wherein the felt comprises about 30 100 wt. % single-wall carbon nanotubes.
- 48. (Previously Presented) The felt of claim 46, wherein said single-wall carbon nanotubes comprise ropes of single-wall nanotubes.
- 49. (Cancelled)
- 50. (Currently amended) The felt of claim $49 \underline{46}$, wherein the size of said felt is 10 mm^2 , 100 mm^2 , or 1000 mm^2 .
- 51. (Currently amended) The felt of claim 49 46, wherein the size of said felt is at least 10 mm².
- 52-57. (Cancelled).